小米路由器 mini(r1c)初始化设置&刷机流程

Process of Initialization settings & upgrading firmware in handset for r1c Attention:don't cut off the power during the whole process

Step 1:connect the router to the power supply and cut the cable into the Internet port on the router (the blue one)

Step 2:connect your computer to the wifi named "xiaomi" or with a cable to the LAN port on the router

Step 3:open the browser and enter the url: <u>www.miwifi.com</u>









tips:if you want to set the same password as the wifi password, just make a tick in the frame before the words "与 Wi-Fi 密码相同".

wait a minute until you see the following interface.



Now, you have finished the initialization settings. Then, go to the next step to download the version you need.

waiting a while, the step perhaps needs $5 \sim 8$ minutes. If you see the next interface, it means the operation has finished.





Initial and the second secon	MiWiFi	路由状态 存储状态 select this tal	7 常用设置	高级设置	∑ Xisomi_guoqi (\$) ∨
<mark> 设置系统语言</mark> 简体中文 系统语言 へ English 简体中文 ✓	(in the second s		(8) 安全中心	品。	select it 会 系统状态
简体中文 系統语言 へ English 简体中文 ✓		设置系统语言			
English 简体中文 ·			简体中文	系统语言 🔨	
			English 简体中文	~	

select English as the system language.